Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2 .	822	(280/93.512).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:13
L3	335	L2 and knuckle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:13
L4	6	L3 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:13
L5	944	"ball end mill"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:32
L6	10178	deburr\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:57
L7	6	I5 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:31
L8	29	5 and ellips\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:37
L9	1113	hole same 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:55

140	4244	L.L III. AP	110 000:-		055	:2005/20/45 +5 ==
L10	4314	hole same ellips\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2005/08/18 13:50
L11	0	2 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:51
L12	. 11	6 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:51
L13	9827	chamfer and hole	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:55
L14	172	13 and ellips\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:56
L15	. 160	6 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:57
L16	5	15 and ellips\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:57
L17	809	GAISER.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:35

L18	154	HEBISCH.in.	US-PGPUB; USPAT;	OR	OFF	2005/08/18 15:35
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
L19	6	17 and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:49
L20	23	(("0960526") or ("1760354") or ("3293727") or ("4705435") or ("6179532") or ("5161924") or ("5314545") or ("5378091") or ("6394466") or ("6497540")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:51
L22	10	("2271849" "2341755" "4282949" "4354711" "4371214" "4792020" "5394967" "5560687").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/18 16:25
S1	822	(280/93.512).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/17 17:02
S2	335	S1 and knuckle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/17 17:09
S3	2	S2 and (burr\$3 or deburr\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/17 17:22
S4	5	S1 and (burr\$3 or deburr\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/17 17:16
S5	10173	deburr\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/17 17:17

						
S6	772	deburr\$3 WITH hole	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/17 17:17
\$7	29	S6 and mill	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/08/17 17:18
S8	1	S6 and "ball end mill"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:30
S9	106	S2 and manufactur\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/17 17:26
S10	0	S2 and "wheel speed sensor"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/17 17:27
S11	57	S2 and method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/17 17:26
S12	109	knuckle and "wheel speed sensor"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/17 17:27